


含鈷斜柄鑽頭



LIST 6602

商品記号	直徑 D	溝長 <i>l</i>	全長 L	MT No.	柄長 L2	單價
COTD7.0	7.0	75	155	1	65.5	●
COTD7.1	7.1	78	158	1	65.5	●
COTD7.2	7.2	78	158	1	65.5	●
COTD7.3	7.3	78	158	1	65.5	●
COTD7.4	7.4	78	158	1	65.5	●
COTD7.5	7.5	78	158	1	65.5	●
COTD7.6	7.6	82	162	1	65.5	●
COTD7.7	7.7	82	162	1	65.5	●
COTD7.8	7.8	82	162	1	65.5	●
COTD7.9	7.9	82	162	1	65.5	●
COTD8.0	8.0	82	162	1	65.5	●
COTD8.1	8.1	85	168	1	65.5	●
COTD8.2	8.2	85	168	1	65.5	●
COTD8.3	8.3	85	168	1	65.5	●
COTD8.4	8.4	85	168	1	65.5	●
COTD8.5	8.5	85	168	1	65.5	●
COTD8.6	8.6	88	172	1	65.5	●
COTD8.7	8.7	88	172	1	65.5	●
COTD8.8	8.8	88	172	1	65.5	●
COTD8.9	8.9	88	172	1	65.5	●
COTD9.0	9.0	88	172	1	65.5	●
COTD9.1	9.1	92	175	1	65.5	●
COTD9.2	9.2	92	175	1	65.5	●

商品記号	直徑 D	溝長 <i>l</i>	全長 L	MT No.	柄長 L2	單價
COTD20.2	20.2	155	255	2	80	●
COTD20.3	20.3	155	255	2	80	●
COTD20.4	20.4	155	255	2	80	●
COTD20.5	20.5	155	255	2	80	●
COTD20.6	20.6	155	255	2	80	●
COTD20.7	20.7	155	255	2	80	●
COTD20.8	20.8	155	255	2	80	●
COTD20.9	20.9	155	255	2	80	●
COTD21.0	21.0	155	255	2	80	●
COTD21.1	21.1	160	260	2	80	●
COTD21.2	21.2	160	260	2	80	●
COTD21.3	21.3	160	260	2	80	●
COTD21.4	21.4	160	260	2	80	●
COTD21.5	21.5	160	260	2	80	●
COTD21.6	21.6	160	260	2	80	●
COTD21.7	21.7	160	260	2	80	●
COTD21.8	21.8	160	260	2	80	●
COTD21.9	21.9	160	260	2	80	●
COTD22.0	22.0	160	260	2	80	●
COTD22.1	22.1	165	265	2	80	●
COTD22.2	22.2	165	265	2	80	●
COTD22.3	22.3	165	265	2	80	●
COTD22.4	22.4	165	265	2	80	●

<u>COTD9.3</u>	9.3	92	175	1	65.5	●		<u>COTD22.5</u>	22.5	165	265	2	80	●
<u>COTD9.4</u>	9.4	92	175	1	65.5	●		<u>COTD22.6</u>	22.6	165	265	2	80	●
<u>COTD9.5</u>	9.5	92	175	1	65.5	●		<u>COTD22.7</u>	22.7	165	265	2	80	●
<u>COTD9.6</u>	9.6	95	178	1	65.5	●		<u>COTD22.8</u>	22.8	165	265	2	80	●
<u>COTD9.7</u>	9.7	95	178	1	65.5	●		<u>COTD22.9</u>	22.9	165	265	2	80	●
<u>COTD9.8</u>	9.8	95	178	1	65.5	●		<u>COTD23.0</u>	23.0	165	265	2	80	●
<u>COTD9.9</u>	9.9	95	178	1	65.5	●		<u>COTD23.1</u>	23.1	165	285	3	99	●
<u>COTD10.0</u>	10.0	95	178	1	65.5	●		<u>COTD23.2</u>	23.2	165	285	3	99	●
<u>COTD10.1</u>	10.1	98	182	1	65.5	●		<u>COTD23.3</u>	23.3	165	285	3	99	●
<u>COTD10.2</u>	10.2	98	182	1	65.5	●		<u>COTD23.4</u>	23.4	165	285	3	99	●
<u>COTD10.3</u>	10.3	98	182	1	65.5	●		<u>COTD23.5</u>	23.5	165	285	3	99	●
<u>COTD10.4</u>	10.4	98	182	1	65.5	●		<u>COTD23.6</u>	23.6	165	285	3	99	●
<u>COTD10.5</u>	10.5	98	182	1	65.5	●		<u>COTD23.7</u>	23.7	165	285	3	99	●
<u>COTD10.6</u>	10.6	102	185	1	65.5	●		<u>COTD23.8</u>	23.8	165	285	3	99	●
<u>COTD10.7</u>	10.7	102	185	1	65.5	●		<u>COTD23.9</u>	23.9	165	285	3	99	●
<u>COTD10.8</u>	10.8	102	185	1	65.5	●		<u>COTD24.0</u>	24.0	165	285	3	99	●
<u>COTD10.9</u>	10.9	102	185	1	65.5	●		<u>COTD24.1</u>	24.1	165	285	3	99	●
<u>COTD11.0</u>	11.0	102	185	1	65.5	●		<u>COTD24.2</u>	24.2	165	285	3	99	●
<u>COTD11.1</u>	11.1	105	188	1	65.5	●		<u>COTD24.3</u>	24.3	165	285	3	99	●
<u>COTD11.2</u>	11.2	105	188	1	65.5	●		<u>COTD24.4</u>	24.4	165	285	3	99	●
<u>COTD11.3</u>	11.3	105	188	1	65.5	●		<u>COTD24.5</u>	24.5	165	285	3	99	●
<u>COTD11.4</u>	11.4	105	188	1	65.5	●		<u>COTD24.6</u>	24.6	165	285	3	99	●
<u>COTD11.5</u>	11.5	105	188	1	65.5	●		<u>COTD24.7</u>	24.7	165	285	3	99	●
<u>COTD11.6</u>	11.6	108	192	1	65.5	●		<u>COTD24.8</u>	24.8	165	285	3	99	●
<u>COTD11.7</u>	11.7	108	192	1	65.5	●		<u>COTD24.9</u>	24.9	165	285	3	99	●
<u>COTD11.8</u>	11.8	108	192	1	65.5	●		<u>COTD25.0</u>	25.0	165	285	3	99	●
<u>COTD11.9</u>	11.9	108	192	1	65.5	●		<u>COTD25.1</u>	25.1	165	285	3	99	●
<u>COTD12.0</u>	12.0	108	192	1	65.5	●		<u>COTD25.2</u>	25.2	165	285	3	99	●
<u>COTD12.1</u>	12.1	112	195	1	65.5	●		<u>COTD25.3</u>	25.3	165	285	3	99	●
<u>COTD12.2</u>	12.2	112	195	1	65.5	●		<u>COTD25.4</u>	25.4	165	285	3	99	●
<u>COTD12.3</u>	12.3	112	195	1	65.5	●		<u>COTD25.5</u>	25.5	165	285	3	99	●
<u>COTD12.4</u>	12.4	112	195	1	65.5	●		<u>COTD25.6</u>	25.6	165	285	3	99	●
<u>COTD12.5</u>	12.5	112	195	1	65.5	●		<u>COTD25.7</u>	25.7	165	285	3	99	●
<u>COTD12.6</u>	12.6	115	198	1	65.5	●		<u>COTD25.8</u>	25.8	165	285	3	99	●

COTD12.7	12.7	115	198	1	65.5	●		COTD25.9	25.9	165	285	3	99	●
COTD12.8	12.8	115	198	1	65.5	●		COTD26.0	26.0	165	285	3	99	●
COTD12.9	12.9	115	198	1	65.5	●		COTD26.1	26.1	170	290	3	99	●
COTD13.0	13.0	115	198	1	65.5	●		COTD26.2	26.2	170	290	3	99	●
COTD13.1	13.1	118	202	1	65.5	●		COTD26.3	26.3	170	290	3	99	●
COTD13.2	13.2	118	202	1	65.5	●		COTD26.4	26.4	170	290	3	99	●
COTD13.3	13.3	118	202	1	65.5	●		COTD26.5	26.5	170	290	3	99	●
COTD13.4	13.4	118	202	1	65.5	●		COTD26.6	26.6	170	290	3	99	●
COTD13.5	13.5	118	202	1	65.5	●		COTD26.7	26.7	170	290	3	99	●
COTD13.6	13.6	122	205	1	65.5	●		COTD26.8	26.8	170	290	3	99	●
COTD13.7	13.7	122	205	1	65.5	●		COTD26.9	26.9	170	290	3	99	●
COTD13.8	13.8	122	205	1	65.5	●		COTD27.0	27.0	170	290	3	99	●
COTD13.9	13.9	122	205	1	65.5	●		COTD27.1	27.1	175	295	3	99	●
COTD14.0	14.0	122	205	1	65.5	●		COTD27.2	27.2	175	295	3	99	●
COTD14.1	14.1	122	222	2	80	●		COTD27.3	27.3	175	295	3	99	●
COTD14.2	14.2	122	222	2	80	●		COTD27.4	27.4	175	295	3	99	●
COTD14.3	14.3	122	222	2	80	●		COTD27.5	27.5	175	295	3	99	●
COTD14.4	14.4	122	222	2	80	●		COTD27.6	27.6	175	295	3	99	●
COTD14.5	14.5	122	222	2	80	●		COTD27.7	27.7	175	295	3	99	●
COTD14.6	14.6	125	225	2	80	●		COTD27.8	27.8	175	295	3	99	●
COTD14.7	14.7	125	225	2	80	●		COTD27.9	27.9	175	295	3	99	●
COTD14.8	14.8	125	225	2	80	●		COTD28.0	28.0	175	295	3	99	●
COTD14.9	14.9	125	225	2	80	●		COTD28.1	28.1	180	300	3	99	●
COTD15.0	15.0	125	225	2	80	●		COTD28.2	28.2	180	300	3	99	●
COTD15.1	15.1	128	228	2	80	●		COTD28.3	28.3	180	300	3	99	●
COTD15.2	15.2	128	228	2	80	●		COTD28.4	28.4	180	300	3	99	●
COTD15.3	15.3	128	228	2	80	●		COTD28.5	28.5	180	300	3	99	●
COTD15.4	15.4	128	228	2	80	●		COTD28.6	28.6	180	300	3	99	●
COTD15.5	15.5	128	228	2	80	●		COTD28.7	28.7	180	300	3	99	●
COTD15.6	15.6	130	230	2	80	●		COTD28.8	28.8	180	300	3	99	●
COTD15.7	15.7	130	230	2	80	●		COTD28.9	28.9	180	300	3	99	●
COTD15.8	15.8	130	230	2	80	●		COTD29.0	29.0	180	300	3	99	●
COTD15.9	15.9	130	230	2	80	●		COTD29.1	29.1	185	305	3	99	●
COTD16.0	16.0	130	230	2	80	●		COTD29.2	29.2	185	305	3	99	●

COTD16.1	16.1	132	232	2	80	●	COTD29.3	29.3	185	305	3	99	●
COTD16.2	16.2	132	232	2	80	●	COTD29.4	29.4	185	305	3	99	●
COTD16.3	16.3	132	232	2	80	●	COTD29.5	29.5	185	305	3	99	●
COTD16.4	16.4	132	232	2	80	●	COTD29.6	29.6	185	305	3	99	●
COTD16.5	16.5	132	232	2	80	●	COTD29.7	29.7	185	305	3	99	●
COTD16.6	16.6	135	235	2	80	●	COTD29.8	29.8	185	305	3	99	●
COTD16.7	16.7	135	235	2	80	●	COTD29.9	29.9	185	305	3	99	●
COTD16.8	16.8	135	235	2	80	●	COTD30.0	30.0	185	305	3	99	●
COTD16.9	16.9	135	235	2	80	●	COTD30.2	30.2	190	310	3	99	●
COTD17.0	17.0	135	235	2	80	●	COTD30.3	30.3	190	310	3	99	●
COTD17.1	17.1	140	240	2	80	●	COTD30.5	30.5	190	310	3	99	●
COTD17.2	17.2	140	240	2	80	●	COTD30.7	30.7	190	310	3	99	●
COTD17.3	17.3	140	240	2	80	●	COTD30.8	30.8	190	310	3	99	●
COTD17.4	17.4	140	240	2	80	●	COTD31.0	31.0	190	310	3	99	●
COTD17.5	17.5	140	240	2	80	●	COTD31.2	31.2	195	315	3	99	●
COTD17.6	17.6	140	240	2	80	●	COTD31.3	31.3	195	315	3	99	●
COTD17.7	17.7	140	240	2	80	●	COTD31.5	31.5	195	315	3	99	●
COTD17.8	17.8	140	240	2	80	●	COTD31.7	31.7	195	315	3	99	●
COTD17.9	17.9	140	240	2	80	●	COTD31.8	31.8	195	315	3	99	●
COTD18.0	18.0	140	240	2	80	●	COTD32.0	32.0	195	315	3	99	●
COTD18.1	18.1	145	245	2	80	●	COTD32.2	32.2	200	345	4	124	●
COTD18.2	18.2	145	245	2	80	●	COTD32.3	32.3	200	345	4	124	●
COTD18.3	18.3	145	245	2	80	●	COTD32.5	32.5	200	345	4	124	●
COTD18.4	18.4	145	245	2	80	●	COTD32.7	32.7	200	345	4	124	●
COTD18.5	18.5	145	245	2	80	●	COTD32.8	32.8	200	345	4	124	●
COTD18.6	18.6	145	245	2	80	●	COTD33.0	33.0	200	345	4	124	●
COTD18.7	18.7	145	245	2	80	●							
COTD18.8	18.8	145	245	2	80	●							
COTD18.9	18.9	145	245	2	80	●							
COTD19.0	19.0	145	245	2	80	●							
COTD19.1	19.1	150	250	2	80	●							
COTD19.2	19.2	150	250	2	80	●							
COTD19.3	19.3	150	250	2	80	●							
COTD19.4	19.4	150	250	2	80	●							

<u>COTD19.5</u>	19.5	150	250	2	80	●
<u>COTD19.6</u>	19.6	150	250	2	80	●
<u>COTD19.7</u>	19.7	150	250	2	80	●
<u>COTD19.8</u>	19.8	150	250	2	80	●
<u>COTD19.9</u>	19.9	150	250	2	80	●
<u>COTD20.0</u>	20.0	150	250	2	80	●
<u>COTD20.1</u>	20.1	155	255	2	80	●

被削材

一般構造壓延鋼	<input type="radio"/>	高硬度鋼 40~50HRC	<input checked="" type="radio"/>	鈦合金・耐熱合金	<input type="radio"/>
碳鋼	<input type="radio"/>	高硬度鋼 50~65HRC	<input checked="" type="radio"/>	鑄鐵	<input type="radio"/>
合金鋼・預硬鋼	<input type="radio"/>	不銹鋼 SUS304, 306	<input type="radio"/>	鋁合金	<input type="radio"/>
調質鋼・模具鋼	<input type="radio"/>	不銹鋼 SUS402	<input type="radio"/>	銅合金	<input type="radio"/>