


標準斜柄鑽頭



LIST 602

商品記号	直径 D	溝長 ℓ	全長 L	MT No.	柄長 L2	単價
TD7.0	7.0	75	155	1	65.5	●
TD7.1	7.1	78	158	1	65.5	●
TD7.2	7.2	78	158	1	65.5	●
TD7.3	7.3	78	158	1	65.5	●
TD7.4	7.4	78	158	1	65.5	●
TD7.5	7.5	78	158	1	65.5	●
TD7.6	7.6	82	162	1	65.5	●
TD7.7	7.7	82	162	1	65.5	●
TD7.8	7.8	82	162	1	65.5	●
TD7.9	7.9	82	162	1	65.5	●
TD8.0	8.0	82	162	1	65.5	●
TD8.1	8.1	85	168	1	65.5	●
TD8.2	8.2	85	168	1	65.5	●
TD8.3	8.3	85	168	1	65.5	●
TD8.4	8.4	85	168	1	65.5	●
TD8.5	8.5	85	168	1	65.5	●
TD8.6	8.6	88	172	1	65.5	●
TD8.7	8.7	88	172	1	65.5	●
TD8.8	8.8	88	172	1	65.5	●
TD8.9	8.9	88	172	1	65.5	●
TD9.0	9.0	88	172	1	65.5	●
TD9.1	9.1	92	175	1	65.5	●

商品記号	直径 D	溝長 ℓ	全長 L	MT No.	柄長 L2	単價
TD33.6	33.6	205	350	4	124	●
TD33.7	33.7	205	350	4	124	●
TD33.8	33.8	205	350	4	124	●
TD33.9	33.9	205	350	4	124	●
TD34.0	34.0	205	350	4	124	●
TD34.1	34.1	205	350	4	124	●
TD34.2	34.2	205	350	4	124	●
TD34.3	34.3	205	350	4	124	●
TD34.4	34.4	205	350	4	124	●
TD34.5	34.5	205	350	4	124	●
TD34.6	34.6	205	350	4	124	●
TD34.7	34.7	205	350	4	124	●
TD34.8	34.8	205	350	4	124	●
TD34.9	34.9	205	350	4	124	●
TD35.0	35.0	205	350	4	124	●
TD35.1	35.1	210	355	4	124	●
TD35.2	35.2	210	355	4	124	●
TD35.3	35.3	210	355	4	124	●
TD35.4	35.4	210	355	4	124	●
TD35.5	35.5	210	355	4	124	●
TD35.6	35.6	210	355	4	124	●
TD35.7	35.7	210	355	4	124	●

TD9.2	9.2	92	175	1	65.5	●
TD9.3	9.3	92	175	1	65.5	●
TD9.4	9.4	92	175	1	65.5	●
TD9.5	9.5	92	175	1	65.5	●
TD9.6	9.6	95	178	1	65.5	●
TD9.7	9.7	95	178	1	65.5	●
TD9.8	9.8	95	178	1	65.5	●
TD9.9	9.9	95	178	1	65.5	●
TD10.0	10.0	95	178	1	65.5	●
TD10.1	10.1	98	182	1	65.5	●
TD10.2	10.2	98	182	1	65.5	●
TD10.3	10.3	98	182	1	65.5	●
TD10.4	10.4	98	182	1	65.5	●
TD10.5	10.5	98	182	1	65.5	●
TD10.6	10.6	102	185	1	65.5	●
TD10.7	10.7	102	185	1	65.5	●
TD10.8	10.8	102	185	1	65.5	●
TD10.9	10.9	102	185	1	65.5	●
TD11.0	11.0	102	185	1	65.5	●
TD11.1	11.1	105	188	1	65.5	●
TD11.2	11.2	105	188	1	65.5	●
TD11.3	11.3	105	188	1	65.5	●
TD11.4	11.4	105	188	1	65.5	●
TD11.5	11.5	105	188	1	65.5	●
TD11.6	11.6	108	192	1	65.5	●
TD11.7	11.7	108	192	1	65.5	●
TD11.8	11.8	108	192	1	65.5	●
TD11.9	11.9	108	192	1	65.5	●
TD12.0	12.0	108	192	1	65.5	●
TD12.1	12.1	112	195	1	65.5	●
TD12.2	12.2	112	195	1	65.5	●
TD12.3	12.3	112	195	1	65.5	●
TD12.4	12.4	112	195	1	65.5	●
TD12.5	12.5	112	195	1	65.5	●

TD35.8	35.8	210	355	4	124	●
TD35.9	35.9	210	355	4	124	●
TD36.0	36.0	210	355	4	124	●
TD36.1	36.1	210	355	4	124	●
TD36.2	36.2	210	355	4	124	●
TD36.3	36.3	210	355	4	124	●
TD36.4	36.4	210	355	4	124	●
TD36.5	36.5	210	355	4	124	●
TD36.6	36.6	210	355	4	124	●
TD36.7	36.7	210	355	4	124	●
TD36.8	36.8	210	355	4	124	●
TD36.9	36.9	210	355	4	124	●
TD37.0	37.0	210	355	4	124	●
TD37.1	37.1	215	360	4	124	●
TD37.2	37.2	215	360	4	124	●
TD37.3	37.3	215	360	4	124	●
TD37.4	37.4	215	360	4	124	●
TD37.5	37.5	215	360	4	124	●
TD37.6	37.6	215	360	4	124	●
TD37.7	37.7	215	360	4	124	●
TD37.8	37.8	215	360	4	124	●
TD37.9	37.9	215	360	4	124	●
TD38.0	38.0	215	360	4	124	●
TD38.1	38.1	215	360	4	124	●
TD38.2	38.2	215	360	4	124	●
TD38.3	38.3	215	360	4	124	●
TD38.4	38.4	215	360	4	124	●
TD38.5	38.5	215	360	4	124	●
TD38.6	38.6	215	360	4	124	●
TD38.7	38.7	215	360	4	124	●
TD38.8	38.8	215	360	4	124	●
TD38.9	38.9	215	360	4	124	●
TD39.0	39.0	215	360	4	124	●
TD39.1	39.1	220	365	4	124	●

TD12.6	12.6	115	198	1	65.5	●
TD12.7	12.7	115	198	1	65.5	●
TD12.8	12.8	115	198	1	65.5	●
TD12.9	12.9	115	198	1	65.5	●
TD13.0	13.0	115	198	1	65.5	●
TD13.1	13.1	118	202	1	65.5	●
TD13.2	13.2	118	202	1	65.5	●
TD13.3	13.3	118	202	1	65.5	●
TD13.4	13.4	118	202	1	65.5	●
TD13.5	13.5	118	202	1	65.5	●
TD13.6	13.6	122	205	1	65.5	●
TD13.7	13.7	122	205	1	65.5	●
TD13.8	13.8	122	205	1	65.5	●
TD13.9	13.9	122	205	1	65.5	●
TD14.0	14.0	122	205	1	65.5	●
TD14.1	14.1	122	222	2	80	●
TD14.2	14.2	122	222	2	80	●
TD14.3	14.3	122	222	2	80	●
TD14.4	14.4	122	222	2	80	●
TD14.5	14.5	122	222	2	80	●
TD14.6	14.6	125	225	2	80	●
TD14.7	14.7	125	225	2	80	●
TD14.8	14.8	125	225	2	80	●
TD14.9	14.9	125	225	2	80	●
TD15.0	15.0	125	225	2	80	●
TD15.1	15.1	128	228	2	80	●
TD15.2	15.2	128	228	2	80	●
TD15.3	15.3	128	228	2	80	●
TD15.4	15.4	128	228	2	80	●
TD15.5	15.5	128	228	2	80	●
TD15.6	15.6	130	230	2	80	●
TD15.7	15.7	130	230	2	80	●
TD15.8	15.8	130	230	2	80	●
TD15.9	15.9	130	230	2	80	●

TD39.2	39.2	220	365	4	124	●
TD39.3	39.3	220	365	4	124	●
TD39.4	39.4	220	365	4	124	●
TD39.5	39.5	220	365	4	124	●
TD39.6	39.6	220	365	4	124	●
TD39.7	39.7	220	365	4	124	●
TD39.8	39.8	220	365	4	124	●
TD39.9	39.9	220	365	4	124	●
TD40.0	40.0	220	365	4	124	●
TD40.1	40.1	220	365	4	124	●
TD40.2	40.2	220	365	4	124	●
TD40.3	40.3	220	365	4	124	●
TD40.4	40.4	220	365	4	124	●
TD40.5	40.5	220	365	4	124	●
TD40.6	40.6	220	365	4	124	●
TD40.7	40.7	220	365	4	124	●
TD40.8	40.8	220	365	4	124	●
TD40.9	40.9	220	365	4	124	●
TD41.0	41.0	220	365	4	124	●
TD41.1	41.1	225	370	4	124	●
TD41.2	41.2	225	370	4	124	●
TD41.3	41.3	225	370	4	124	●
TD41.4	41.4	225	370	4	124	●
TD41.5	41.5	225	370	4	124	●
TD41.6	41.6	225	370	4	124	●
TD41.7	41.7	225	370	4	124	●
TD41.8	41.8	225	370	4	124	●
TD41.9	41.9	225	370	4	124	●
TD42.0	42.0	225	370	4	124	●
TD42.1	42.1	225	370	4	124	●
TD42.2	42.2	225	370	4	124	●
TD42.3	42.3	225	370	4	124	●
TD42.4	42.4	225	370	4	124	●
TD42.5	42.5	225	370	4	124	●

TD16.0	16.0	130	230	2	80	●
TD16.1	16.1	132	232	2	80	●
TD16.2	16.2	132	232	2	80	●
TD16.3	16.3	132	232	2	80	●
TD16.4	16.4	132	232	2	80	●
TD16.5	16.5	132	232	2	80	●
TD16.6	16.6	135	235	2	80	●
TD16.7	16.7	135	235	2	80	●
TD16.8	16.8	135	235	2	80	●
TD16.9	16.9	135	235	2	80	●
TD17.0	17.0	135	235	2	80	●
TD17.1	17.1	140	240	2	80	●
TD17.2	17.2	140	240	2	80	●
TD17.3	17.3	140	240	2	80	●
TD17.4	17.4	140	240	2	80	●
TD17.5	17.5	140	240	2	80	●
TD17.6	17.6	140	240	2	80	●
TD17.7	17.7	140	240	2	80	●
TD17.8	17.8	140	240	2	80	●
TD17.9	17.9	140	240	2	80	●
TD18.0	18.0	140	240	2	80	●
TD18.1	18.1	145	245	2	80	●
TD18.2	18.2	145	245	2	80	●
TD18.3	18.3	145	245	2	80	●
TD18.4	18.4	145	245	2	80	●
TD18.5	18.5	145	245	2	80	●
TD18.6	18.6	145	245	2	80	●
TD18.7	18.7	145	245	2	80	●
TD18.8	18.8	145	245	2	80	●
TD18.9	18.9	145	245	2	80	●
TD19.0	19.0	145	245	2	80	●
TD19.1	19.1	150	250	2	80	●
TD19.2	19.2	150	250	2	80	●
TD19.3	19.3	150	250	2	80	●

TD42.6	42.6	225	370	4	124	●
TD42.7	42.7	225	370	4	124	●
TD42.8	42.8	225	370	4	124	●
TD42.9	42.9	225	370	4	124	●
TD43.0	43.0	225	370	4	124	●
TD43.1	43.1	230	375	4	124	●
TD43.2	43.2	230	375	4	124	●
TD43.3	43.3	230	375	4	124	●
TD43.4	43.4	230	375	4	124	●
TD43.5	43.5	230	375	4	124	●
TD43.6	43.6	230	375	4	124	●
TD43.7	43.7	230	375	4	124	●
TD43.8	43.8	230	375	4	124	●
TD43.9	43.9	230	375	4	124	●
TD44.0	44.0	230	375	4	124	●
TD44.1	44.1	230	375	4	124	●
TD44.2	44.2	230	375	4	124	●
TD44.3	44.3	230	375	4	124	●
TD44.4	44.4	230	375	4	124	●
TD44.5	44.5	230	375	4	124	●
TD44.6	44.6	230	375	4	124	●
TD44.7	44.7	230	375	4	124	●
TD44.8	44.8	230	375	4	124	●
TD44.9	44.9	230	375	4	124	●
TD45.0	45.0	230	375	4	124	●
TD45.1	45.1	235	380	4	124	●
TD45.2	45.2	235	380	4	124	●
TD45.3	45.3	235	380	4	124	●
TD45.4	45.4	235	380	4	124	●
TD45.5	45.5	235	380	4	124	●
TD45.6	45.6	235	380	4	124	●
TD45.7	45.7	235	380	4	124	●
TD45.8	45.8	235	380	4	124	●
TD45.9	45.9	235	380	4	124	●

TD19.4	19.4	150	250	2	80	●
TD19.5	19.5	150	250	2	80	●
TD19.6	19.6	150	250	2	80	●
TD19.7	19.7	150	250	2	80	●
TD19.8	19.8	150	250	2	80	●
TD19.9	19.9	150	250	2	80	●
TD20.0	20.0	150	250	2	80	●
TD20.1	20.1	155	255	2	80	●
TD20.2	20.2	155	255	2	80	●
TD20.3	20.3	155	255	2	80	●
TD20.4	20.4	155	255	2	80	●
TD20.5	20.5	155	255	2	80	●
TD20.6	20.6	155	255	2	80	●
TD20.7	20.7	155	255	2	80	●
TD20.8	20.8	155	255	2	80	●
TD20.9	20.9	155	255	2	80	●
TD21.0	21.0	155	255	2	80	●
TD21.1	21.1	160	260	2	80	●
TD21.2	21.2	160	260	2	80	●
TD21.3	21.3	160	260	2	80	●
TD21.4	21.4	160	260	2	80	●
TD21.5	21.5	160	260	2	80	●
TD21.6	21.6	160	260	2	80	●
TD21.7	21.7	160	260	2	80	●
TD21.8	21.8	160	260	2	80	●
TD21.9	21.9	160	260	2	80	●
TD22.0	22.0	160	260	2	80	●
TD22.1	22.1	165	265	2	80	●
TD22.2	22.2	165	265	2	80	●
TD22.3	22.3	165	265	2	80	●
TD22.4	22.4	165	265	2	80	●
TD22.5	22.5	165	265	2	80	●
TD22.6	22.6	165	265	2	80	●
TD22.7	22.7	165	265	2	80	●

TD46.0	46.0	235	380	4	124	●
TD46.1	46.1	235	380	4	124	●
TD46.2	46.2	235	380	4	124	●
TD46.3	46.3	235	380	4	124	●
TD46.4	46.4	235	380	4	124	●
TD46.5	46.5	235	380	4	124	●
TD46.6	46.6	235	380	4	124	●
TD46.7	46.7	235	380	4	124	●
TD46.8	46.8	235	380	4	124	●
TD46.9	46.9	235	380	4	124	●
TD47.0	47.0	235	380	4	124	●
TD47.1	47.1	240	385	4	124	●
TD47.2	47.2	240	385	4	124	●
TD47.3	47.3	240	385	4	124	●
TD47.4	47.4	240	385	4	124	●
TD47.5	47.5	240	385	4	124	●
TD47.6	47.6	240	385	4	124	●
TD47.7	47.7	240	385	4	124	●
TD47.8	47.8	240	385	4	124	●
TD47.9	47.9	240	385	4	124	●
TD48.0	48.0	240	385	4	124	●
TD48.1	48.1	240	385	4	124	●
TD48.2	48.2	240	385	4	124	●
TD48.3	48.3	240	385	4	124	●
TD48.4	48.4	240	385	4	124	●
TD48.5	48.5	240	385	4	124	●
TD48.6	48.6	240	385	4	124	●
TD48.7	48.7	240	385	4	124	●
TD48.8	48.8	240	385	4	124	●
TD48.9	48.9	240	385	4	124	●
TD49.0	49.0	240	385	4	124	●
TD49.1	49.1	245	390	4	124	●
TD49.2	49.2	245	390	4	124	●
TD49.3	49.3	245	390	4	124	●

TD22.8	22.8	165	265	2	80	●
TD22.9	22.9	165	265	2	80	●
TD23.0	23.0	165	265	2	80	●
TD23.1	23.1	165	285	3	99	●
TD23.2	23.2	165	285	3	99	●
TD23.3	23.3	165	285	3	99	●
TD23.4	23.4	165	285	3	99	●
TD23.5	23.5	165	285	3	99	●
TD23.6	23.6	165	285	3	99	●
TD23.7	23.7	165	285	3	99	●
TD23.8	23.8	165	285	3	99	●
TD23.9	23.9	165	285	3	99	●
TD24.0	24.0	165	285	3	99	●
TD24.1	24.1	165	285	3	99	●
TD24.2	24.2	165	285	3	99	●
TD24.3	24.3	165	285	3	99	●
TD24.4	24.4	165	285	3	99	●
TD24.5	24.5	165	285	3	99	●
TD24.6	24.6	165	285	3	99	●
TD24.7	24.7	165	285	3	99	●
TD24.8	24.8	165	285	3	99	●
TD24.9	24.9	165	285	3	99	●
TD25.0	25.0	165	285	3	99	●
TD25.1	25.1	165	285	3	99	●
TD25.2	25.2	165	285	3	99	●
TD25.3	25.3	165	285	3	99	●
TD25.4	25.4	165	285	3	99	●
TD25.5	25.5	165	285	3	99	●
TD25.6	25.6	165	285	3	99	●
TD25.7	25.7	165	285	3	99	●
TD25.8	25.8	165	285	3	99	●
TD25.9	25.9	165	285	3	99	●
TD26.0	26.0	165	285	3	99	●
TD26.1	26.1	170	290	3	99	●

TD49.4	49.4	245	390	4	124	●
TD49.5	49.5	245	390	4	124	●
TD49.6	49.6	245	390	4	124	●
TD49.7	49.7	245	390	4	124	●
TD49.8	49.8	245	390	4	124	●
TD49.9	49.9	245	390	4	124	●
TD50.0	50.0	245	390	4	124	●
TD50.5	50.5	245	425	5	156	●
TD51.0	51.0	245	425	5	156	●
TD51.5	51.5	250	430	5	156	●
TD52.0	52.0	250	430	5	156	●
TD52.5	52.5	250	430	5	156	●
TD53.0	53.0	250	430	5	156	●
TD53.5	53.5	255	435	5	156	●
TD54.0	54.0	255	435	5	156	●
TD54.5	54.5	255	435	5	156	●
TD55.0	55.0	255	435	5	156	●
TD55.5	55.5	260	440	5	156	●
TD56.0	56.0	260	440	5	156	●
TD56.5	56.5	260	440	5	156	●
TD57.0	57.0	260	440	5	156	●
TD57.5	57.5	265	445	5	156	●
TD58.0	58.0	265	445	5	156	●
TD58.5	58.5	265	445	5	156	●
TD59.0	59.0	265	445	5	156	●
TD59.5	59.5	270	450	5	156	●
TD60.0	60.0	270	450	5	156	●
TD60.5	60.5	270	450	5	156	●
TD61.0	61.0	270	450	5	156	●
TD61.5	61.5	275	455	5	156	●
TD62.0	62.0	275	455	5	156	●
TD62.5	62.5	275	455	5	156	●
TD63.0	63.0	275	455	5	156	●
TD63.5	63.5	280	460	5	156	●

TD26.2	26.2	170	290	3	99	●
TD26.3	26.3	170	290	3	99	●
TD26.4	26.4	170	290	3	99	●
TD26.5	26.5	170	290	3	99	●
TD26.6	26.6	170	290	3	99	●
TD26.7	26.7	170	290	3	99	●
TD26.8	26.8	170	290	3	99	●
TD26.9	26.9	170	290	3	99	●
TD27.0	27.0	170	290	3	99	●
TD27.1	27.1	175	295	3	99	●
TD27.2	27.2	175	295	3	99	●
TD27.3	27.3	175	295	3	99	●
TD27.4	27.4	175	295	3	99	●
TD27.5	27.5	175	295	3	99	●
TD27.6	27.6	175	295	3	99	●
TD27.7	27.7	175	295	3	99	●
TD27.8	27.8	175	295	3	99	●
TD27.9	27.9	175	295	3	99	●
TD28.0	28.0	175	295	3	99	●
TD28.1	28.1	180	300	3	99	●
TD28.2	28.2	180	300	3	99	●
TD28.3	28.3	180	300	3	99	●
TD28.4	28.4	180	300	3	99	●
TD28.5	28.5	180	300	3	99	●
TD28.6	28.6	180	300	3	99	●
TD28.7	28.7	180	300	3	99	●
TD28.8	28.8	180	300	3	99	●
TD28.9	28.9	180	300	3	99	●
TD29.0	29.0	180	300	3	99	●
TD29.1	29.1	185	305	3	99	●
TD29.2	29.2	185	305	3	99	●
TD29.3	29.3	185	305	3	99	●
TD29.4	29.4	185	305	3	99	●
TD29.5	29.5	185	305	3	99	●

TD64.0	64.0	280	460	5	156	●
TD64.5	64.5	280	460	5	156	●
TD65.0	65.0	280	460	5	156	●
TD65.5	65.5	285	465	5	156	●
TD66.0	66.0	285	465	5	156	●
TD66.5	66.5	285	465	5	156	●
TD67.0	67.0	285	465	5	156	●
TD67.5	67.5	290	470	5	156	●
TD68.0	68.0	290	470	5	156	●
TD68.5	68.5	290	470	5	156	●
TD69.0	69.0	290	470	5	156	●
TD69.5	69.5	295	475	5	156	●
TD70.0	70.0	295	475	5	156	●
TD70.5	70.5	295	475	5	156	●
TD71.0	71.0	295	475	5	156	●
TD71.5	71.5	300	480	5	156	●
TD72.0	72.0	300	480	5	156	●
TD72.5	72.5	300	480	5	156	●
TD73.0	73.0	300	480	5	156	●
TD73.5	73.5	305	485	5	156	●
TD74.0	74.0	305	485	5	156	●
TD74.5	74.5	305	485	5	156	●
TD75.0	75.0	305	485	5	156	●
TD75.5	75.5	310	490	5	156	●
TD76.0	76.0	310	490	5	156	●
TD77.0	77.0	315	560	6	218	●
TD78.0	78.0	315	560	6	218	●
TD79.0	79.0	315	560	6	218	●
TD80.0	80.0	315	560	6	218	●
TD81.0	81.0	325	570	6	218	●
TD82.0	82.0	325	570	6	218	●
TD83.0	83.0	325	570	6	218	●
TD84.0	84.0	325	570	6	218	●
TD85.0	85.0	325	570	6	218	●

TD29.6	29.6	185	305	3	99	●
TD29.7	29.7	185	305	3	99	●
TD29.8	29.8	185	305	3	99	●
TD29.9	29.9	185	305	3	99	●
TD30.0	30.0	185	305	3	99	●
TD30.1	30.1	190	310	3	99	●
TD30.2	30.2	190	310	3	99	●
TD30.3	30.3	190	310	3	99	●
TD30.4	30.4	190	310	3	99	●
TD30.5	30.5	190	310	3	99	●
TD30.6	30.6	190	310	3	99	●
TD30.7	30.7	190	310	3	99	●
TD30.8	30.8	190	310	3	99	●
TD30.9	30.9	190	310	3	99	●
TD31.0	31.0	190	310	3	99	●
TD31.1	31.1	195	315	3	99	●
TD31.2	31.2	195	315	3	99	●
TD31.3	31.3	195	315	3	99	●
TD31.4	31.4	195	315	3	99	●
TD31.5	31.5	195	315	3	99	●
TD31.6	31.6	195	315	3	99	●
TD31.7	31.7	195	315	3	99	●
TD31.8	31.8	195	315	3	99	●
TD31.9	31.9	195	315	3	99	●
TD32.0	32.0	195	315	3	99	●
TD32.1	32.1	200	345	4	124	●
TD32.2	32.2	200	345	4	124	●
TD32.3	32.3	200	345	4	124	●
TD32.4	32.4	200	345	4	124	●
TD32.5	32.5	200	345	4	124	●
TD32.6	32.6	200	345	4	124	●
TD32.7	32.7	200	345	4	124	●
TD32.8	32.8	200	345	4	124	●
TD32.9	32.9	200	345	4	124	●

TD86.0	86.0	335	580	6	218	●
TD87.0	87.0	335	580	6	218	●
TD88.0	88.0	335	580	6	218	●
TD89.0	89.0	335	580	6	218	●
TD90.0	90.0	335	580	6	218	●
TD91.0	91.0	345	590	6	218	●
TD92.0	92.0	345	590	6	218	●
TD93.0	93.0	345	590	6	218	●
TD94.0	94.0	345	590	6	218	●
TD95.0	95.0	345	590	6	218	●
TD96.0	96.0	355	600	6	218	●
TD97.0	97.0	355	600	6	218	●
TD98.0	98.0	355	600	6	218	●
TD99.0	99.0	355	600	6	218	●
TD100.0	100.0	355	600	6	218	●

TD33.0	33.0	200	345	4	124	●
TD33.1	33.1	205	350	4	124	●
TD33.2	33.2	205	350	4	124	●
TD33.3	33.3	205	350	4	124	●
TD33.4	33.4	205	350	4	124	●
TD33.5	33.5	205	350	4	124	●

被削材

一般構造壓延鋼	○	高硬度鋼 40~50HRC	×	鈦合金・耐熱合金
碳鋼	○	高硬度鋼 50~65HRC	×	鑄鐵 ○
合金鋼・預硬鋼	○	不銹鋼 SUS304, 306		鋁合金 ○
調質鋼・模具鋼		不銹鋼 SUS402		銅合金 ○