


標準斜柄長鑽頭



LIST 650

商品記号	直徑 D	溝長 ℓ	全長 L	MT No.	柄長 L2	単價
LTD7.0x250	7.0	150	250	1	65.5	●
LTD7.0x300	7.0	200	300	1	65.5	●
LTD7.0x350	7.0	225	350	1	65.5	●
LTD7.5x250	7.5	150	250	1	65.5	●
LTD7.5x300	7.5	200	300	1	65.5	●
LTD7.5x350	7.5	225	350	1	65.5	●
LTD8.0x250	8.0	150	250	1	65.5	●
LTD8.0x300	8.0	200	300	1	65.5	●
LTD8.0x350	8.0	225	350	1	65.5	●
LTD8.5x300	8.5	200	300	1	65.5	●
LTD8.5x350	8.5	225	350	1	65.5	●
LTD9.0x250	9.0	150	250	1	65.5	●
LTD9.0x300	9.0	200	300	1	65.5	●
LTD9.0x350	9.0	225	350	1	65.5	●
LTD9.5x250	9.5	150	250	1	65.5	●
LTD9.5x300	9.5	200	300	1	65.5	●
LTD9.5x350	9.5	225	350	1	65.5	●
LTD10.0x250	10.0	150	250	1	65.5	●
LTD10.0x300	10.0	200	300	1	65.5	●
LTD10.0x350	10.0	225	350	1	65.5	●
LTD10.5x250	10.5	150	250	1	65.5	●
LTD10.5x300	10.5	200	300	1	65.5	●

商品記号	直徑 D	溝長 ℓ	全長 L	MT No.	柄長 L2	単價
LTD20.5x325	20.5	200	325	2	80	●
LTD20.5x375	20.5	250	375	2	80	●
LTD20.5x425	20.5	275	425	2	80	●
LTD20.5x475x325	20.5	325	475	2	80	●
LTD21.0x325	21.0	200	325	2	80	●
LTD21.0x375	21.0	250	375	2	80	●
LTD21.0x425	21.0	275	425	2	80	●
LTD21.0x475	21.0	325	475	2	80	●
LTD21.5x325	21.5	200	325	2	80	●
LTD21.5x375	21.5	250	375	2	80	●
LTD21.5x425	21.5	275	425	2	80	●
LTD21.5x475	21.5	325	475	2	80	●
LTD22.0x325	22.0	200	325	2	80	●
LTD22.0x375	22.0	250	375	2	80	●
LTD22.0x425	22.0	275	425	2	80	●
LTD22.0x475	22.0	325	475	2	80	●
LTD22.5x325	22.5	200	325	2	80	●
LTD22.5x375	22.5	250	375	2	80	●
LTD22.5x425	22.5	275	425	2	80	●
LTD22.5x475	22.5	325	475	2	80	●
LTD23.0x325	23.0	200	325	2	80	●
LTD23.0x375	23.0	250	375	2	80	●

<u>LTD10.5x350</u>	10.5	225	350	1	65.5	●		<u>LTD23.0x425</u>	23.0	275	425	2	80	●
<u>LTD11.0x250</u>	11.0	150	250	1	65.5	●		<u>LTD23.0x475</u>	23.0	325	475	2	80	●
<u>LTD11.0x350</u>	11.0	225	350	1	65.5	●		<u>LTD23.5x350</u>	23.5	200	350	3	99	●
<u>LTD11.5x250</u>	11.5	150	250	1	65.5	●		<u>LTD23.5x400</u>	23.5	250	400	3	99	●
<u>LTD11.5x300</u>	11.5	200	300	1	65.5	●		<u>LTD23.5x450</u>	23.5	300	450	3	99	●
<u>LTD11.5x350</u>	11.5	225	350	1	65.5	●		<u>LTD23.5x500</u>	23.5	350	500	3	99	●
<u>LTD12.0x250</u>	12.0	150	250	1	65.5	●		<u>LTD23.5x600</u>	23.5	400	600	3	99	●
<u>LTD12.0x300</u>	12.0	200	300	1	65.5	●		<u>LTD24.0x350</u>	24.0	200	350	3	99	●
<u>LTD12.0x350</u>	12.0	225	350	1	65.5	●		<u>LTD24.0x400</u>	24.0	250	400	3	99	●
<u>LTD12.5x250</u>	12.5	150	250	1	65.5	●		<u>LTD24.0x450</u>	24.0	300	450	3	99	●
<u>LTD12.5x300</u>	12.5	200	300	1	65.5	●		<u>LTD24.0x500</u>	24.0	350	500	3	99	●
<u>LTD12.5x350</u>	12.5	225	350	1	65.5	●		<u>LTD24.0x600</u>	24.0	400	600	3	99	●
<u>LTD13.0x250</u>	13.0	150	250	1	65.5	●		<u>LTD24.5x350</u>	24.5	200	350	3	99	●
<u>LTD13.0x300</u>	13.0	200	300	1	65.5	●		<u>LTD24.5x400</u>	24.5	250	400	3	99	●
<u>LTD13.0x350</u>	13.0	225	350	1	65.5	●		<u>LTD24.5x450</u>	24.5	300	450	3	99	●
<u>LTD13.5x250</u>	13.5	150	250	1	65.5	●		<u>LTD24.5x500</u>	24.5	350	500	3	99	●
<u>LTD13.5x300</u>	13.5	200	300	1	65.5	●		<u>LTD24.5x600</u>	24.5	400	600	3	99	●
<u>LTD13.5x350</u>	13.5	225	350	1	65.5	●		<u>LTD25.0x350</u>	25.0	200	350	3	99	●
<u>LTD14.0x250</u>	14.0	150	250	1	65.5	●		<u>LTD25.0x400</u>	25.0	250	400	3	99	●
<u>LTD14.0x300</u>	14.0	200	300	1	65.5	●		<u>LTD25.0x450</u>	25.0	300	450	3	99	●
<u>LTD14.0x350</u>	14.0	225	350	1	65.5	●		<u>LTD25.0x500</u>	25.0	350	500	3	99	●
<u>LTD14.5x325</u>	14.5	200	325	2	80	●		<u>LTD25.0x600</u>	25.0	400	600	3	99	●
<u>LTD14.5x375</u>	14.5	250	375	2	80	●		<u>LTD25.5x350</u>	25.5	200	350	3	99	●
<u>LTD14.5x425</u>	14.5	275	425	2	80	●		<u>LTD25.5x400</u>	25.5	250	400	3	99	●
<u>LTD14.5x475</u>	14.5	325	475	2	80	●		<u>LTD25.5x450</u>	25.5	300	450	3	99	●
<u>LTD15.0x325</u>	15.0	200	325	2	80	●		<u>LTD25.5x500</u>	25.5	350	500	3	99	●
<u>LTD15.0x375</u>	15.0	250	375	2	80	●		<u>LTD25.5x600</u>	25.5	400	600	3	99	●
<u>LTD15.0x425</u>	15.0	275	425	2	80	●		<u>LTD26.0x350</u>	26.0	200	350	3	99	●
<u>LTD15.0x475</u>	15.0	325	475	2	80	●		<u>LTD26.0x400</u>	26.0	250	400	3	99	●
<u>LTD15.5x325</u>	15.5	200	325	2	80	●		<u>LTD26.0x450</u>	26.0	300	450	3	99	●
<u>LTD15.5x375</u>	15.5	250	375	2	80	●		<u>LTD26.0x500</u>	26.0	350	500	3	99	●
<u>LTD15.5x425</u>	15.5	275	425	2	80	●		<u>LTD26.0x600</u>	26.0	400	600	3	99	●
<u>LTD15.5x475</u>	15.5	325	475	2	80	●		<u>LTD26.5x350</u>	26.5	200	350	3	99	●
<u>LTD16.0x325</u>	16.0	200	325	2	80	●		<u>LTD26.5x400</u>	26.5	250	400	3	99	●

<u>LTD16.0x375</u>	16.0	250	375	2	80	●		<u>LTD26.5x450</u>	26.5	300	450	3	99	●
<u>LTD16.0x425</u>	16.0	275	425	2	80	●		<u>LTD26.5x500</u>	26.5	350	500	3	99	●
<u>LTD16.0x475</u>	16.0	325	475	2	80	●		<u>LTD26.5x600</u>	26.5	400	600	3	99	●
<u>LTD16.5x325</u>	16.5	200	325	2	80	●		<u>LTD27.0x350</u>	27.0	200	350	3	99	●
<u>LTD16.5x375</u>	16.5	250	375	2	80	●		<u>LTD27.0x400</u>	27.0	250	400	3	99	●
<u>LTD16.5x425</u>	16.5	275	425	2	80	●		<u>LTD27.0x450</u>	27.0	300	450	3	99	●
<u>LTD16.5x475</u>	16.5	325	475	2	80	●		<u>LTD27.0x500</u>	27.0	350	500	3	99	●
<u>LTD17.0x325</u>	17.0	200	325	2	80	●		<u>LTD27.0x600</u>	27.0	400	600	3	99	●
<u>LTD17.0x375</u>	17.0	250	375	2	80	●		<u>LTD27.5x350</u>	27.5	200	350	3	99	●
<u>LTD17.0x425</u>	17.0	275	425	2	80	●		<u>LTD27.5x400</u>	27.5	250	400	3	99	●
<u>LTD17.0x475</u>	17.0	325	475	2	80	●		<u>LTD27.5x450</u>	27.5	300	450	3	99	●
<u>LTD17.5x325</u>	17.5	200	325	2	80	●		<u>LTD27.5x500</u>	27.5	350	500	3	99	●
<u>LTD17.5x375</u>	17.5	250	375	2	80	●		<u>LTD27.5x600</u>	27.5	400	600	3	99	●
<u>LTD17.5x425x275</u>	17.5	275	425	2	80	●		<u>LTD28.0x350</u>	28.0	200	350	3	99	●
<u>LTD17.5x475</u>	17.5	325	475	2	80	●		<u>LTD28.0x400</u>	28.0	250	400	3	99	●
<u>LTD18.0x325</u>	18.0	200	325	2	80	●		<u>LTD28.0x450</u>	28.0	300	450	3	99	●
<u>LTD18.0x375</u>	18.0	250	375	2	80	●		<u>LTD28.0x500</u>	28.0	350	500	3	99	●
<u>LTD18.0x425</u>	18.0	275	425	2	80	●		<u>LTD28.0x600</u>	28.0	400	600	3	99	●
<u>LTD18.0x475</u>	18.0	325	475	2	80	●		<u>LTD28.5x400</u>	28.5	250	400	3	99	●
<u>LTD18.5x325</u>	18.5	200	325	2	80	●		<u>LTD28.5x450</u>	28.5	300	450	3	99	●
<u>LTD18.5x375x250</u>	18.5	250	375	2	80	●		<u>LTD28.5x500</u>	28.5	350	500	3	99	●
<u>LTD18.5x425</u>	18.5	275	425	2	80	●		<u>LTD28.5x600</u>	28.5	400	600	3	99	●
<u>LTD18.5x475</u>	18.5	325	475	2	80	●		<u>LTD29.0x350</u>	29.0	200	350	3	99	●
<u>LTD19.0x325</u>	19.0	200	325	2	80	●		<u>LTD29.0x400</u>	29.0	250	400	3	99	●
<u>LTD19.0x375</u>	19.0	250	375	2	80	●		<u>LTD29.0x450</u>	29.0	300	450	3	99	●
<u>LTD19.0x425</u>	19.0	275	425	2	80	●		<u>LTD29.0x500</u>	29.0	350	500	3	99	●
<u>LTD19.0x475</u>	19.0	325	475	2	80	●		<u>LTD29.0x600</u>	29.0	400	600	3	99	●
<u>LTD19.5x325</u>	19.5	200	325	2	80	●		<u>LTD29.5x350</u>	29.5	200	350	3	99	●
<u>LTD19.5x375</u>	19.5	250	375	2	80	●		<u>LTD29.5x400</u>	29.5	250	400	3	99	●
<u>LTD19.5x425</u>	19.5	275	425	2	80	●		<u>LTD29.5x450</u>	29.5	300	450	3	99	●
<u>LTD19.5x475</u>	19.5	325	475	2	80	●		<u>LTD29.5x500</u>	29.5	350	500	3	99	●
<u>LTD20.0x325</u>	20.0	200	325	2	80	●		<u>LTD29.5x600</u>	29.5	400	600	3	99	●
<u>LTD20.0x375</u>	20.0	250	375	2	80	●		<u>LTD30.0x350</u>	30.0	200	350	3	99	●
<u>LTD20.0x425</u>	20.0	275	425	2	80	●		<u>LTD30.0x400</u>	30.0	250	400	3	99	●

<u>LTD20.0x475</u>	20.0	325	475	2	80	●		<u>LTD30.0x450</u>	30.0	300	450	3	99	●
								<u>LTD30.0x500</u>	30.0	350	500	3	99	●
								<u>LTD30.0x600x400</u>	30.0	400	600	3	99	●
								<u>LTD30.5x350</u>	30.5	200	350	3	99	●
								<u>LTD30.5x400</u>	30.5	250	400	3	99	●
								<u>LTD30.5x450</u>	30.5	300	450	3	99	●
								<u>LTD30.5x500</u>	30.5	350	500	3	99	●
								<u>LTD30.5x600</u>	30.5	400	600	3	99	●
								<u>LTD31.0x350</u>	31.0	200	350	3	99	●
								<u>LTD31.0x400</u>	31.0	250	400	3	99	●
								<u>LTD31.0x450</u>	31.0	300	450	3	99	●
								<u>LTD31.0x500</u>	31.0	350	500	3	99	●
								<u>LTD31.0x600</u>	31.0	400	600	3	99	●
								<u>LTD31.5x350</u>	31.5	200	350	3	99	●
								<u>LTD31.5x400</u>	31.5	250	400	3	99	●
								<u>LTD31.5x450</u>	31.5	300	450	3	99	●
								<u>LTD31.5x500</u>	31.5	350	500	3	99	●
								<u>LTD31.5x600</u>	31.5	400	600	3	99	●
								<u>LTD32.0x350</u>	32.0	200	350	3	99	●
								<u>LTD32.0x400</u>	32.0	250	400	3	99	●
								<u>LTD32.0x450</u>	32.0	300	450	3	99	●
								<u>LTD32.0x500</u>	32.0	350	500	3	99	●
								<u>LTD32.0x600</u>	32.0	400	600	3	99	●
								<u>LTD33.0x425</u>	33.0	250	425	4	124	●
								<u>LTD33.0x475</u>	33.0	300	475	4	124	●
								<u>LTD33.0x525</u>	33.0	350	525	4	124	●
								<u>LTD33.0x625</u>	33.0	450	625	4	124	●
								<u>LTD34.0x425</u>	34.0	250	425	4	124	●
								<u>LTD34.0x475</u>	34.0	300	475	4	124	●
								<u>LTD34.0x525</u>	34.0	350	525	4	124	●
								<u>LTD34.0x625</u>	34.0	450	625	4	124	●
								<u>LTD35.0x425</u>	35.0	250	425	4	124	●
								<u>LTD35.0x475</u>	35.0	300	475	4	124	●
								<u>LTD35.0x525</u>	35.0	350	525	4	124	●

<u>LTD35.0x625</u>	35.0	450	625	4	124	●
<u>LTD36.0x425</u>	36.0	250	425	4	124	●
<u>LTD36.0x475</u>	36.0	300	475	4	124	●
<u>LTD36.0x525</u>	36.0	350	525	4	124	●
<u>LTD36.0x625</u>	36.0	450	625	4	124	●
<u>LTD37.0x425</u>	37.0	250	425	4	124	●
<u>LTD37.0x475</u>	37.0	300	475	4	124	●
<u>LTD37.0x525</u>	37.0	350	525	4	124	●
<u>LTD37.0x625</u>	37.0	450	625	4	124	●
<u>LTD38.0x425</u>	38.0	250	425	4	124	●
<u>LTD38.0x475</u>	38.0	300	475	4	124	●
<u>LTD38.0x525</u>	38.0	350	525	4	124	●
<u>LTD38.0x625</u>	38.0	450	625	4	124	●
<u>LTD39.0x425</u>	39.0	250	425	4	124	●
<u>LTD39.0x475</u>	39.0	300	475	4	124	●
<u>LTD39.0x525</u>	39.0	350	525	4	124	●
<u>LTD39.0x625</u>	39.0	450	625	4	124	●
<u>LTD40.0x425</u>	40.0	250	425	4	124	●
<u>LTD40.0x475</u>	40.0	300	475	4	124	●
<u>LTD40.0x525</u>	40.0	350	525	4	124	●
<u>LTD40.0x625</u>	40.0	450	625	4	124	●
<u>LTD41.0x425</u>	41.0	250	425	4	124	●
<u>LTD41.0x475</u>	41.0	300	475	4	124	●
<u>LTD41.0x525</u>	41.0	350	525	4	124	●
<u>LTD41.0x625</u>	41.0	450	625	4	124	●
<u>LTD42.0x425</u>	42.0	250	425	4	124	●
<u>LTD42.0x475</u>	42.0	300	475	4	124	●
<u>LTD42.0x525</u>	42.0	350	525	4	124	●
<u>LTD42.0x625</u>	42.0	450	625	4	124	●
<u>LTD43.0x425</u>	43.0	250	425	4	124	●
<u>LTD43.0x475</u>	43.0	300	475	4	124	●
<u>LTD43.0x525</u>	43.0	350	525	4	124	●
<u>LTD43.0x625</u>	43.0	450	625	4	124	●
<u>LTD44.0x425</u>	44.0	250	425	4	124	●

LTD44.0x475	44.0	300	475	4	124	●
LTD44.0x525	44.0	350	525	4	124	●
LTD44.0x625	44.0	450	625	4	124	●
LTD45.0x425	45.0	250	425	4	124	●
LTD45.0x475	45.0	300	475	4	124	●
LTD45.0x525	45.0	350	525	4	124	●
LTD45.0x625	45.0	450	625	4	124	●
LTD46.0x475	46.0	300	475	4	124	●
LTD46.0x525	46.0	350	525	4	124	●
LTD46.0x625	46.0	450	625	4	124	●
LTD47.0x475	47.0	300	475	4	124	●
LTD47.0x525	47.0	350	525	4	124	●
LTD47.0x625	47.0	450	625	4	124	●
LTD48.0x475	48.0	300	475	4	124	●
LTD48.0x525	48.0	350	525	4	124	●
LTD48.0x625	48.0	450	625	4	124	●
LTD49.0x475	49.0	300	475	4	124	●
LTD49.0x525	49.0	350	525	4	124	●
LTD49.0x625	49.0	450	625	4	124	●
LTD50.0x475	50.0	300	475	4	124	●
LTD50.0x525	50.0	350	525	4	124	●
LTD50.0x625	50.0	450	625	4	124	●

被削材

一般構造壓延鋼	<input type="radio"/>	高硬度鋼 40~50HRC	<input checked="" type="checkbox"/>	鈦合金・耐熱合金	<input type="radio"/>
碳鋼	<input type="radio"/>	高硬度鋼 50~65HRC	<input checked="" type="checkbox"/>	鑄鐵	<input type="radio"/>
合金鋼・預硬鋼	<input type="radio"/>	不銹鋼 SUS304, 306	<input checked="" type="checkbox"/>	鋁合金	<input type="radio"/>
調質鋼・模具鋼	<input type="radio"/>	不銹鋼 SUS402	<input checked="" type="checkbox"/>	銅合金	<input type="radio"/>