

G 覆鈦標準鑽頭



LIST520P

商品記号	直径 D	溝長 ℓ	全長 L	單價
GSD0.5	0.5	6	22	●
GSD0.6	0.6	7	24	●
GSD0.7	0.7	9	28	●
GSD0.8	0.8	10	30	●
GSD0.9	0.9	11	32	●
GSD1.0	1.0	12	34	●
GSD1.1	1.1	14	36	●
GSD1.2	1.2	16	38	●
GSD1.3	1.3	16	38	●
GSD1.4	1.4	18	40	●
GSD1.5	1.5	18	40	●
GSD1.6	1.6	20	43	●
GSD1.7	1.7	20	43	●
GSD1.8	1.8	22	46	●
GSD1.9	1.9	22	46	●
GSD2.0	2.0	24	49	●
GSD2.1	2.1	24	49	●
GSD2.2	2.2	27	53	●
GSD2.3	2.3	27	53	●
GSD2.4	2.4	30	57	●
GSD2.5	2.5	30	57	●
GSD2.6	2.6	30	57	●
GSD2.7	2.7	33	61	●
GSD2.8	2.8	33	61	●

商品記号	直径 D	溝長 ℓ	全長 L	單價
GSD6.8	6.8	69	109	●
GSD6.9	6.9	69	109	●
GSD7.0	7.0	69	109	●
GSD7.1	7.1	69	109	●
GSD7.2	7.2	69	109	●
GSD7.3	7.3	69	109	●
GSD7.4	7.4	69	109	●
GSD7.5	7.5	69	109	●
GSD7.6	7.6	75	117	●
GSD7.7	7.7	75	117	●
GSD7.8	7.8	75	117	●
GSD7.9	7.9	75	117	●
GSD8.0	8.0	75	117	●
GSD8.1	8.1	75	117	●
GSD8.2	8.2	75	117	●
GSD8.3	8.3	75	117	●
GSD8.4	8.4	75	117	●
GSD8.5	8.5	75	117	●
GSD8.6	8.6	81	125	●
GSD8.7	8.7	81	125	●
GSD8.8	8.8	81	125	●
GSD8.9	8.9	81	125	●
GSD9.0	9.0	81	125	●
GSD9.1	9.1	81	125	●

GSD2.9	2.9	33	61	●
GSD3.0	3.0	33	61	●
GSD3.1	3.1	36	65	●
GSD3.2	3.2	36	65	●
GSD3.3	3.3	36	65	●
GSD3.4	3.4	39	70	●
GSD3.5	3.5	39	70	●
GSD3.6	3.6	39	70	●
GSD3.7	3.7	39	70	●
GSD3.8	3.8	43	75	●
GSD3.9	3.9	43	75	●
GSD4.0	4.0	43	75	●
GSD4.1	4.1	43	75	●
GSD4.2	4.2	43	75	●
GSD4.3	4.3	47	80	●
GSD4.4	4.4	47	80	●
GSD4.5	4.5	47	80	●
GSD4.6	4.6	47	80	●
GSD4.7	4.7	47	80	●
GSD4.8	4.8	52	86	●
GSD4.9	4.9	52	86	●
GSD5.0	5.0	52	86	●
GSD5.1	5.1	52	86	●
GSD5.2	5.2	52	86	●
GSD5.3	5.3	52	86	●
GSD5.4	5.4	57	93	●
GSD5.5	5.5	57	93	●
GSD5.6	5.6	57	93	●
GSD5.7	5.7	57	93	●
GSD5.8	5.8	57	93	●
GSD5.9	5.9	57	93	●
GSD6.0	6.0	57	93	●
GSD6.1	6.1	63	101	●
GSD6.2	6.2	63	101	●

GSD9.2	9.2	81	125	●
GSD9.3	9.3	81	125	●
GSD9.4	9.4	81	125	●
GSD9.5	9.5	81	125	●
GSD9.6	9.6	87	133	●
GSD9.7	9.7	87	133	●
GSD9.8	9.8	87	133	●
GSD9.9	9.9	87	133	●
GSD10.0	10.0	87	133	●
GSD10.1	10.1	87	133	●
GSD10.2	10.2	87	133	●
GSD10.3	10.3	87	133	●
GSD10.4	10.4	87	133	●
GSD10.5	10.5	87	133	●
GSD10.6	10.6	87	133	●
GSD10.7	10.7	94	142	●
GSD10.8	10.8	94	142	●
GSD10.9	10.9	94	142	●
GSD11.0	11.0	94	142	●
GSD11.1	11.1	94	142	●
GSD11.2	11.2	94	142	●
GSD11.3	11.3	94	142	●
GSD11.4	11.4	94	142	●
GSD11.5	11.5	94	142	●
GSD11.6	11.6	94	142	●
GSD11.7	11.7	94	142	●
GSD11.8	11.8	94	142	●
GSD11.9	11.9	101	151	●
GSD12.0	12.0	101	151	●
GSD12.1	12.1	101	151	●
GSD12.2	12.2	101	151	●
GSD12.3	12.3	101	151	●
GSD12.4	12.4	101	151	●
GSD12.5	12.5	101	151	●

GSD6.3	6.3	63	101	●	GSD12.6	12.6	101	151	●
GSD6.4	6.4	63	101	●	GSD12.7	12.7	101	151	●
GSD6.5	6.5	63	101	●	GSD12.8	12.8	101	151	●
GSD6.6	6.6	63	101	●	GSD12.9	12.9	101	151	●
GSD6.7	6.7	63	101	●	GSD13.0	13.0	101	151	●

被削材

一般構造壓延鋼	◎	高硬度鋼 40~50HRC	×	鈦合金・耐熱合金	○
碳鋼	◎	高硬度鋼 50~65HRC	×	鑄鐵	○
合金鋼・預硬鋼	◎	不銹鋼 SUS304, 306	○	鋁合金	○
調質鋼・模具鋼	◎	不銹鋼 SUS402	○	銅合金	○