
G覆鈦含鈷長鑽頭





LIST 6550P

	直徑	溝長	全長	
商品記号	D	l	L	單價
GLSD1.0×100	1.0	40	100	•
GLSD1.1×100	1.1	40	100	•
GLSD1.2×100	1.2	40	100	•
GLSD1.3×100	1.3	40	100	•
GLSD1.4×100	1.4	40	100	•
GLSD1.5×100	1.5	40	100	•
GLSD1.6×100	1.6	40	100	•
GLSD1.7×100	1.7	40	100	•
GLSD1.8×100	1.8	40	100	•
GLSD1.9x100	1.9	40	100	•
GLSD2.0×100	2.0	40	100	•
GLSD2.0×150	2.0	60	150	•
GLSD2.1×100	2.1	40	100	•
GLSD2.1×150	2.1	60	150	•
GLSD2.2×100	2.2	40	100	•
GLSD2.2×150	2.2	60	150	•
GLSD2.3×100	2.3	40	100	•
GLSD2.3x150	2.3	60	150	•
GLSD2.4×100	2.4	40	100	•
GLSD2.4×150	2.4	60	150	•
GLSD2.5×100	2.5	50	100	•
GLSD2.5×150	2.5	60	150	•
GLSD2.6×100	2.6	50	100	•

		溝長	全長	
商品記号	直徑 D	l	L	單價
GLSD8.2×200	8.2	100	200	•
GLSD8.2×250	8.2	120	250	•
GLSD8.2x300x150	8.2	150	300	•
GLSD8.5×200	8.5	100	200	•
GLSD8.5×250	8.5	120	250	•
GLSD8.5×300	8.5	150	300	•
GLSD8.8×200	8.8	100	200	•
GLSD8.8×250	8.8	120	250	•
GLSD9.0×200	9.0	100	200	•
GLSD9.0×250	9.0	120	250	•
GLSD9.0×300	9.0	150	300	•
GLSD9.2×200	9.2	100	200	•
GLSD9.2×250	9.2	120	250	•
GLSD9.2×300	9.2	150	300	•
GLSD9.5×200	9.5	100	200	•
GLSD9.5×250	9.5	120	250	•
GLSD9.5×300	9.5	150	300	•
GLSD9.8×200	9.8	100	200	•
GLSD9.8×250	9.8	120	250	•
GLSD9.8×300	9.8	150	300	•
GLSD10.0×200	10.0	100	200	•
GLSD10.0×250	10.0	120	250	•
GLSD10.0×300	10.0	150	300	•

GLSD2.6x150	2.6	75	150	•
GLSD2.7x100	2.7	50	100	•
GLSD2.7×150	2.7	75	150	•
GLSD2.8×100	2.8	50	100	•
GLSD2.8×150	2.8	75	150	•
GLSD2.9×100	2.9	50	100	•
GLSD2.9×150	2.9	75	150	•
GLSD3.0x100	3.0	50	100	•
GLSD3.0×150	3.0	75	150	•
GLSD3.0x200	3.0	100	200	•
GLSD3.1×150	3.1	75	150	•
GLSD3.1x200	3.1	100	200	•
GLSD3.2x150	3.2	75	150	•
GLSD3.2x200	3.2	100	200	•
GLSD3.3x150	3.3	75	150	•
GLSD3.3x200	3.3	100	200	•
GLSD3.4x150	3.4	75	150	•
GLSD3.4x200	3.4	100	200	•
GLSD3.5x150	3.5	75	150	•
GLSD3.5x200	3.5	100	200	•
GLSD3.6x150	3.6	75	150	•
GLSD3.6x200	3.6	100	200	•
GLSD3.7×150	3.7	75	150	•
GLSD3.7x200	3.7	100	200	•
GLSD3.8×150	3.8	75	150	•
GLSD3.8×200	3.8	100	200	•
GLSD3.9x150	3.9	75	150	•
GLSD3.9x200	3.9	100	200	•
GLSD4.0×150	4.0	75	150	•
GLSD4.0x200	4.0	100	200	•
GLSD4.0x250	4.0	120	250	•
GLSD4.1x150	4.1	75	150	•
GLSD4.1x200	4.1	100	200	•
GLSD4.1x250	4.1	120	250	•

GLSD10.5x250	10.5	120	250	
GLSD10.5x300	10.5	150	300	•
GLSD11.0x250	11.0	120	250	•
GLSD11.0x300	11.0	150	300	•
GLSD11.5×250	11.5	120	250	•
GLSD11.5x300	11.5	150	300	•
GLSD12.0×250	12.0	120	250	•
GLSD12.0x300	12.0	150	300	•
GLSD12.5×250	12.5	120	250	•
GLSD12.5x300	12.5	150	300	•
GLSD13.0×250	13.0	120	250	•
GLSD13.0x300	13.0	150	300	•

GLSD4.2×150	4.2	75	150	•
GLSD4.2×200	4.2	100	200	•
GLSD4.2x250	4.2	120	250	•
GLSD4.3x150	4.3	75	150	•
GLSD4.3×200	4.3	100	200	•
GLSD4.3x250	4.3	120	250	•
GLSD4.4×150	4.4	75	150	•
GLSD4.4x200	4.4	100	200	•
GLSD4.4x250	4.4	120	250	•
GLSD4.5x150	4.5	75	150	•
GLSD4.5x200	4.5	100	200	•
GLSD4.5x250	4.5	120	250	•
GLSD4.6x150	4.6	75	150	•
GLSD4.6x200	4.6	100	200	•
GLSD4.6x250	4.6	120	250	•
GLSD4.7×150	4.7	75	150	•
GLSD4.7x200	4.7	100	200	•
GLSD4.7x250	4.7	120	250	•
GLSD4.8x150	4.8	75	150	•
GLSD4.8x200	4.8	100	200	•
GLSD4.8x250	4.8	120	250	•
GLSD4.9x150	4.9	75	150	•
GLSD4.9x200	4.9	100	200	•
GLSD4.9x250	4.9	120	250	•
GLSD5.0x150	5.0	75	150	•
GLSD5.0x200	5.0	100	200	•
GLSD5.0x250	5.0	120	250	•
GLSD5.0x300	5.0	150	300	•
GLSD5.1x150	5.1	75	150	•
GLSD5.1x200	5.1	100	200	•
GLSD5.1×250	5.1	120	250	•
GLSD5.2×150	5.2	75	150	•
GLSD5.2x200	5.2	100	200	•
GLSD5.2×250	5.2	120	250	•

GLSD5.3x150	5.3	75	150	•
GLSD5.3x200	5.3	100	200	•
GLSD5.3x250	5.3	120	250	•
GLSD5.4x150	5.4	75	150	•
GLSD5.4x200	5.4	100	200	•
GLSD5.4x250	5.4	120	250	•
GLSD5.5x150	5.5	75	150	•
GLSD5.5x200	5.5	100	200	•
GLSD5.5x250	5.5	120	250	•
GLSD5.5x300	5.5	150	300	•
GLSD5.6x150	5.6	75	150	•
GLSD5.6x200	5.6	100	200	•
GLSD5.6x250	5.6	120	250	•
GLSD5.7x150	5.7	75	150	•
GLSD5.7x200	5.7	100	200	•
GLSD5.7x250	5.7	120	250	•
GLSD5.8x150	5.8	75	150	•
GLSD5.8x200	5.8	100	200	•
GLSD5.8x250	5.8	120	250	•
GLSD5.9x150	5.9	75	150	•
GLSD5.9x200	5.9	100	200	•
GLSD5.9x250	5.9	120	250	•
GLSD6.0x150	6.0	75	150	•
GLSD6.0x200	6.0	100	200	•
GLSD6.0x250	6.0	120	250	•
GLSD6.0x300	6.0	150	300	•
GLSD6.5x200	6.5	100	200	•
GLSD6.5x250	6.5	120	250	•
GLSD6.5x300	6.5	150	300	•
GLSD6.8x200	6.8	100	200	•
GLSD6.8x250	6.8	120	250	•
GLSD6.8x300	6.8	150	300	•
GLSD7.0x200	7.0	100	200	•
GLSD7.0x250	7.0	120	250	•

GLSD7.0x300	7.0	150	300	•
GLSD7.2x200	7.2	100	200	
GLSD7.2x250	7.2	120	250	•
GLSD7.2x300	7.2	150	300	
GLSD7.5x200	7.5	100	200	•
GLSD7.5x250	7.5	120	250	•
GLSD7.5x300	7.5	150	300	•
GLSD7.8x200	7.8	100	200	•
GLSD7.8×250	7.8	120	250	
GLSD7.8x300	7.8	150	300	•
GLSD8.0x200	8.0	100	200	•
GLSD8.0x250	8.0	120	250	•
GLSD8.0x300	8.0	150	300	•

被削材

一般構造壓延鋼	0	高硬度鋼 40~50HRC	X	鈦合金・耐熱合金	×
碳鋼	0	高硬度鋼 50~65HRC	X	鑄鐵	0
合金鋼・預硬鋼	0	不銹鋼 SUS304, 306	X	鋁合金	0
調質鋼・模具鋼	0	不銹鋼 SUS402	\bigcirc	銅合金	0